

@PFDesktop\ODMA\MHODMA\HBSR05\Manage\468307;1
JMS/jar
April 23, 2004

PATENT APPLICATION
Attorney's Docket No : 1465 1003-004
Expedited Procedure under 37 C.F.R. § 1.116
Examining Group 2838

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Joshua H. Bretz, Abram P. Dancy, Leif E. LaWhite and Martin F. Schlecht
Application No.: 09/611,383 Group: 2838
Filed: July 7, 2000 Examiner: Bao Q. Vu
Confirmation No.: 8478
For: CONTROL OF DC/DC CONVERTERS HAVING SYNCHRONOUS RECTIFIERS

CERTIFICATE OF MAILING OR TRANSMISSION	
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on.	
Date 4-23-04	Signature Jennifer A. Tordiff
Typed or printed name of person signing certificate Jennifer A. Tordiff	

RECEIVED
CENTRAL FAX CENTER

APR 23 2004

OFFICIAL

AMENDMENT AFTER FINAL REJECTION UNDER 37 C.F.R. § 1.116

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This Amendment After Final Rejection is being filed in response to the Final Office Action mailed from the U.S. Patent and Trademark Office on August 5, 2003 in the above-identified application.

An extension of time for filing an Appeal Brief for the Appeal filed February 4, 2004, is respectfully requested. A Petition for Extension of Time and the appropriate fee are being filed concurrently with this amendment. The Appeal Brief will be due on May 4, 2004.

09/611,383

-2-

Applicant thanks Examiner Vu for a helpful telephone interview with the undersigned in which the invention, claims and the attached sketches were discussed. The following remarks had been presented prior to the interview. Examiner Vu indicated that the following amendments incorporating the subject matter of claim 3 into the independent claims would overcome the outstanding rejections.

Please amend the application as follows: